This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





DATABASE 401	2 EMITTER	Enmay 403					·	 ·
	top satisfy hermented 402	EMITTER HOBEL 405 LUCELL SOLUTION (3) 400 CONSTRAINTS 409 RULES 408						
	7	Λ,	EMITTER	toto		•		マ

Tigale 4




Figure 5









Figure 6











	4000				:
·		1			:
	East (See	~	5	~6	7
	RF Pax (MHz)	300	1350	1910	1860
	Some vow Entiry view (Mile) (000	oeel	215	1730
	30 MHz 24	L5 ans	780 AS		390 mg
	SSO MAY JE IS ONE VOV	100 ms	No 1.5	<u> </u>	Bons
	Enite/	П	٣.	<u> </u>	73

DDMAX = S RVTner = 100 Cost = 5/0 = . 05 negy of 1900 Due 11

Figure 141A







Figure 141B






Name	RF Min	RF Max		
E1	1100	1200		
E2	1150	1250		




-igure 17





Emitter	Dwell Duration (ms)	Revisit Time (ms)		
Emitter 1	1	500		
Emitter 2	2	1200		


Emitter	Dwell Duration (ms)	Revisit Time (ms)	Cost
Emitter 1	1	500	.002
Emitter 2	5	1000	.005




Time (ms)











24F










Figure 27








Figure 30




Figure 31

